



Crystal™ Merchandiser RVMC24UN Ultra Narrow Specs

Medium Temp Ultra Narrow Reach-Ins with 24" x 74" CoolView™ Doors

RVMC24UN-(B,D,P): (B=Beverage, D=Dairy/Deli, P=Produce)

Note: Zero Zone display cases manufactured for shipment within the U.S. meet or exceed current DOE energy requirements.

ENERGY DATA

Refrigeration <small>(see note #1 for components included in baseline Btuh)</small>
Evaporator Temperature (°F)
Baseline Btuh ^{1,2}
Discharge Air Temp. (°F) (w/ 8°F Superheat)

INDIVIDUAL CASE DATA (Includes 1 Pair of End Panels)	
2-Door (4')	
	28
	930
	33

Fan Motors (115V) ³
High Efficiency Electronic (SSC/ECM)
Lighting System (120V) (other LED options available)
LED Lighting (Zero Zone ChillBrite™ 4)
Anti-Sweat Door Heaters (115V)
No-Energy Doors (Zero Zone CoolView Ultra™)
Rail Heated Doors (Zero Zone CoolView Ultra™)
Rail & Glass Heated Doors (Zero Zone CoolView Ultra™)

Amps	Watts
0.60	15
Amps	Watts
0.30	36
Amps	Watts
0.00	0
0.09	10
0.31	36

Notes:

1. Baseline Evaporator Btuh based on parallel rack system, LED lighting (Zero Zone ChillBrite™ 4), no-energy doors (Zero Zone CoolView Ultra™), and SSC electronic fan motors.
2. For condensing units (non-rack system), multiply total Btuh rating by 1.08.
3. Amps are based on electrical nameplate values; watts are based on laboratory observations of actual energy use.

PHYSICAL DATA


Baseline R-404A Refrigeration Piping	Outlet Size (in.)	# of Doors	Weight (lbs.)	Case Capacity	
				Facings (ft. ²)	Packout (ft. ³) 24" Shelves
Suction Line O.D. (Top Refrig.)	1/2	2	TBD	23.6	26.5
Liquid Line O.D.	3/8	End Panel	50	N/A	N/A



Crystal™ Merchandiser RVMC24UN Ultra Narrow Specs

Medium Temp Ultra Narrow Reach-Ins with 24" x 74" CoolView™ Doors

RVMC24UN-(B,D,P): (B=Beverage, D=Dairy/Deli, P=Produce)



2/23/18

Specifications are subject to change without notice. All dimensions are nominal.
Case designed to operate in an ambient temperature of 75°F and relative humidity of 55% or lower.

CRYSTAL™
MERCHANDISER

Zero Zone, Inc. | 110 N Oakridge Drive | North Prairie, WI 53153-9792
Toll Free: 800-247-4496 | Fax: 262-392-6450
www.zero-zone.com

© 2018 Zero Zone, Inc.

